## LOS ANGELES SHELBY AMERICAN AUTOMOBILE CLUB

- presents -

# 60th ANNIVERSARY SHELBY G.T.350 OPEN TRACK AND CAR SHOW AT "Big" WILLOW SPRINGS RACEWAY FEBURARY 14-15, 2025

### ENJOY YOUR PERFORMANCE CAR AT SPEED IN A CONTROLLED OPEN TRACK VENUE

Run your car with confidence and exercise your driving abilities in a safe environment

#### INSTRUCTORS WILL BE AVAILABLE AT NO EXTRA COST

Four Separate Run Groups for Beginner – Intermediate – Advanced – Vintage Shelby Group

This event is structured to be fun and educational, but most of all, to be a SAFE event in which you can enjoy driving your car as it was meant to be driven.

Open Track Registration \$250.00

For Both Days

Car Show Registration for Saturday \$20.00

Got a friend who wants to go? Additional registration forms can be found at:

www.LAShelbyClub.com

On Friday and Saturday, Feb. 14-15, 2025, the Los Angeles Shelby American Automobile Club will be holding an open track and driver education event at Willow Springs International Raceway. Run your car at speed on a road racing circuit that is appropriate for the beginner who has never driven on a road course as well as the experienced driver who wants to improve his or her skills.

#### **EVENT REGISTRATION**

Entry fee is \$250.00 for both days. Refunds for cancellations will be granted in the form of a credit of 100% of the entry fee towards our next event.

All entries for this event will be considered as accepted in the order that they are received. Entries must be in writing on the enclosed Event Application, with all items completed and the Release and Waiver Agreement signed. When all run groups are filled, subsequent entries will be placed on a waiting list in the order received to fill possible cancellations.

There will be no exceptions to these policies.

#### **REQUIREMENTS**

**Drivers** – must be at least 18 years of age and have a valid driver's license. Limit of 2 drivers per car.

Car – FORD POWERED VEHICLES ONLY in safe operating condition and must pass tech inspection.

<u>Tech Inspection (Self Tech)</u> – <u>all drivers must tech their own cars</u> per the requirements of the enclosed Technical Inspection Checklist <u>prior to arriving at the track</u>. Technical Inspection Checklist must be signed by driver and presented at the track for sign off.

**Tech Inspection at Track** – <u>driver must check in at track registration prior to inspection</u>. Inspection will be completed by tech inspectors from 7am to 8am Friday. Late arrivals will be inspected as time permits. <u>Car must pass tech inspection</u> in order to complete registration.

#### MANDATORY DRIVERS MEETING AT 8:30AM.

**Helmets – SA2015 or later Snell ratings; M-rated helmets not recommended.** If you're purchasing a helmet, it is recommended the most recent Snell approved helmet be obtained. Drivers of open top cars must wear goggles or face shields.

**Seatbelts** – must be in good working condition and webbing must be in good condition.

Open Cars (convertibles or roadsters) – must have roll bars.

Open Wheel Cars – no open wheel cars allowed.

Passengers – There will be no passenger sessions. This is a track rule that is being enforced due to WSIR's insurance policy, which prohibits passengers other than instructors. Passengers will still be able to get rides with instructors.

<u>Fire Extinguisher – Fire extinguishers are mandatory.</u> It must be <u>securely mounted</u> in the cockpit <u>using metal mounting brackets</u> (no bungee cords) or you will not pass tech and you will not be able to run!!!!

**Mail Event Registration and payment to:** LASAAC Open Track, 1732 Walnut Avenue, Manhattan Beach, CA 90266. Please make check payable to Los Angeles Shelby American Automobile Club. You can also register and pay online at <a href="https://www.LAShelbyClub.com">www.LAShelbyClub.com</a>.

#### GENERAL INFORMATION

This is a safety-oriented event and we will have emergency services team available.

The track gates open at 7am. Willow Springs charges \$20 per entrant (that is in addition to our registration fee). Our track will go hot at approximately 9am. Sessions will run until 5pm.

Racing fuel (leaded and unleaded) will be available at the track.

No alcohol, narcotics or dangerous drugs permitted.

Maximum speed in the pit area is <u>5 mph</u>. Also, speed limits in and around the Willow Springs facilities are strictly enforced.

All children must be accompanied by an adult. Children will not be allowed to operate bicycles, go-carts, ATVs, roller skates or roller blades in the pit area.

Cars will be divided into 4 run groups; including a VINTAGE SHELBY only vehicle group. Each car will be placed in a class based on driver experience and car performance except VINTAGE SHELBY group. The event chairmen may re-classify any automobile based on track performance during event.

To avoid crowding on the track, the event will be limited to 100 cars. If you have a second driver participating in the event, he or she must drive in the same group as Driver #1. If the second driver wants to drive in a different group, an additional entry fee must be paid. There will be no exceptions to this policy.

TRACK OFFICIALS: Randy Richardson and Dan Walters

#### FOR MORE INFORMATION, CALL:

#### **WILLOW SPRINGS RACEWAY**

	Friday and Saturday – February 14-15, 2025					
			EVENT REGISTRATIO	N		
NAN	ΛΕ		EMAIL ADDRESS			
ADE	DRESS		CITY	STATEZIP		
PHO	DNE	Car – Year/Make/Mod	el	CLUB AFFILIATION		
PRE	EVIOUS TRACK EXPERIENCE: YES	NO IF YES,	AT WHAT TRACK(S)			
2 <sup>ND</sup>	DRIVER (same run group)		(2 <sup>nd</sup> Driver m	nust complete separate Emergency Information and Release and Waiver forms		
ENT	TRY FEE – Two Day Open Track			[		
	ner Friday, February 14, 2025 7:00 PM	\$250.00	\$	Mail - Event Registration and payment to:		
393	passy Suites 75 5 <sup>th</sup> Street West, Palmdale			LASAAC Open Track 1732 Walnut Avenue		
•	1) 266-3756	<b>\$100.00</b> per person	Total \$	Manhattan Beach, CA 90266		
(Ca	r Show \$20.00 separate registration fo	orm at www.LAShelbyClub.com)		Make check payable to:		
		TOTAL AMOUNT	FENCLOSED \$			
		EMERGENCY INFOR	MATION ( <u>Each Driver M</u>	lust Complete This Form)		
DRI	IVER NAME			AGE		
EM	ERGENCY CONTACT			RELATIONSHIP		
IS 7	THIS PERSON AT THE TRACK? Y	ES NO	_ HOME PHONE	CELL PHONE		
If E	mergency Contact is not at the track	<, person AT TRACK to notify		CELL PHONE		
Dru	g Allergies, Special Conditions or M	ledical Circumstances that track	officials or emergency medical f	technicians need to be aware of?		
PEF	RSONAL PHYSICIAN			PHONE		
			_	NDEMNITY AGREEMENT		
all w purp imm and that	valkways, concessions and other areas bose participate in any way in the event, nediately upon entering any of such rest he does further warrant that his entry u	appurtenant to any area where an EACH OF THE UNDERSIGNED, for tricted areas, and will continuously pon such restricted area or areas a g safe and reasonably suited for the	y activity related to the event shall to be himself, his personal representative thereafter, inspect such restricted are and his participation, if any, in the event be purposes of his use, and he furthe	cluding but not limited to the racing surfaces, pit areas, infield, approach area, an take place), or being permitted to compete, officiate, observe, work for, or for an es, heirs, and next of kin, acknowledges, agrees and represents that he has, or w reas and all portions thereof which he enters and with which he comes in contact ent constitutes an acknowledgment that he has inspected such restricted area an r agrees and warrants that if, at any time, he is in or about restricted areas and h OF THE UNDERSIGNED:		
1.	HEREBY RELASES, WAIVES, DISCHARGES AND COVENANTS NOT TO SUE the promoter, participants, racing association, sanctioning organization, or any subdivision thereof, track operator, track owners, officials, car owners, drivers, pit crew, any persons in any restricted area, promoter, sponsor advertisers, owners and lessees of premises used to conduct the event and each of them, their officers and employees, all for the purpose herein referred to as "Releases", from all liability to the undersigned, his personal representatives, assigns, heirs, and next of kir for any and all loss or damage, any claim or demands thereof on account of injury to the person or property or resulting death of the undersigned, whether caused by negligence of the Releases or otherwise while the undersigned is in or upon the restricted area, and/or, competing, officiating, observing, working for, or for any purpose participating in the event.					
2.						
3.	HEREBY ASSUMES FULL REPSONSIBILITY FOR RISK OF BODILY INJURY, DEATH, OR PROPERTY DAMAGE due to negligence of Releases or otherwise while in or upon the area and/or while competing, officiating, observing, or working for, or for any purpose participating in the event.					
4.	HEREBY AGREES TO ABIDE BY th	EES TO ABIDE BY the decisions of the event chairman relating to the General Rules governing the event and any interpretations thereof. THE UNDERSIGNED expressly and agrees that the decisions of the Event Chairman are final and without recourse.				
5.	HEREBY EXPRESSLY ACKNOWLED	DGES AND AGREES that the activ	ities of the event are very dangerous	s and involve the risk of serious injury and/or death and/or property damage. TH		

statements or inducements apart from the foregoing written agreement have been made.

PRINT DRIVER NAME DRIVER SIGNATURE DATE SIGNATURE OF WITNESS

of the province or state in which the event is conducted and that if any portion thereof is invalid, it is agreed the balance shall, notwithstanding, continue in full legal force and effect.

THE UNDERSIGNED HAS READ AND VOLUNTARILY SIGNS THE RELEASE AND WAIVER OF LIABILITY AND INDENMITY AGREEMENT, and further agrees that no oral representations,

UNDERSIGNED further expressly acknowledges and agrees that the foregoing release, waiver, and indemnity agreement are intended to be as broad and inclusive as is permitted by the law

#### **TECHNICAL INSPECTION CHECKLIST**

inspect each item, check the box next to each item. After all items have been checked, sign on the appropriate line at the bottom. This completed form must be brow the track for review by the club's tech officials. Your COMPLETE INSPECTION MUST BE ACCOMPLISHED BEFORE you present your car at Tech Inspection at it track. ASSURING THAT YOUR CAR IS TRACK-READY IS YOUR RESPONSIBILITY. The Tech Inspection Team is only confirming that fact.    SELF TECH TO BE COMPLETED PRIOR TO EVENT	STATE	
the track for review by the club's tech officials Your COMPLETE INSPECTION MUST BE ACCOMPLISHED BEFORE you present your car at Tech Inspection at it track. ASSURING THAT YOUR CAR IS TRACK-READY IS YOUR RESPONSIBILITY. The Tech Inspection Team is only confirming that fact.    SELF TECH TO BE COMPLETED PRIOR TO EVENT	т 🔲	
BRAKES Brake system recently bled Brake system recently bled Brake fluid fresh and clear Brake fluid fresh and clear Brake rotors (front and rear) free of cracks and defects Brake lights operational Brake lights operational  TIRES & WHEELS Street tire tread depth - 2/32 inch minimum Competition tires - good condition & adequate depth No side wall cuts Proper tire pressure for track conditions Rims in good condition Hub caps / wheel centers removed Brake system recently bled Brake lights secure Battery secure Gas and oil lines secure; no leaks Gas and oil lines secure; no leaks Throttle linkage and return operational TWO THROTTLE RETURN SPRINGS (carbureted cars only) Coolant overflow catch can Air cleaner and filter assembly secure SUSPENSION Wheel bearings tight / no play Steering linkage tight Shocks / struts in good condition Shocks / struts in good condition	ught to	
BRAKES Brake system recently bled Brake fluid fresh and clear Brake fluid fresh and clear Brake fluid fresh and clear Brake rotors (front and rear) free of cracks and defects Brake pedal firm Brake lights operational Brake lights operational  TIRES & WHEELS Street tire tread depth - 2/32 inch minimum Competition tires - good condition & adequate depth No side wall cuts Proper tire pressure for track conditions Rims in good condition Hub caps / wheel centers removed  Battery secure Gas and oil lines secure; no leaks Throttle linkage and return operational TWO THROTTLE RETURN SPRINGS (carbureted cars only) Coolant overflow catch can Air cleaner and filter assembly secure  SUSPENSION Wheel bearings tight / no play Steering linkage tight Shocks / struts in good condition Flexible brake lines in good condition		
□ Brake system recently bled       □ Battery secure         □ Brake fluid fresh and clear       □ Belts and hoses in good condition (no cracks or soft spots)         □ Sufficient brake pad linings (at least 50% material remaining)       □ Electrical wiring harness & relays secure         □ Brake rotors (front and rear) free of cracks and defects       □ Gas and oil lines secure; no leaks         □ Brake lights operational       □ Throttle linkage and return operational         □ TIRES & WHEELS       □ Coolant overflow catch can         □ Street tire tread depth – 2/32 inch minimum       □ Air cleaner and filter assembly secure         □ Competition tires – good condition & adequate depth       SUSPENSION         □ No side wall cuts       □ Wheel bearings tight / no play         □ Proper tire pressure for track conditions       □ Steering linkage tight         □ Rims in good condition       □ Shocks / struts in good condition         □ Hub caps / wheel centers removed       □ Flexible brake lines in good condition		
□ Brake fluid fresh and clear       □ Belts and hoses in good condition (no cracks or soft spots)         □ Sufficient brake pad linings (at least 50% material remaining)       □ Electrical wiring harness & relays secure         □ Brake rotors (front and rear) free of cracks and defects       □ Gas and oil lines secure; no leaks         □ Brake pedal firm       □ Throttle linkage and return operational         □ TWO THROTTLE RETURN SPRINGS (carbureted cars only)         □ Coolant overflow catch can         □ Air cleaner and filter assembly secure         □ Street tire tread depth – 2/32 inch minimum         □ Competition tires – good condition & adequate depth         □ No side wall cuts       □ Wheel bearings tight / no play         □ Proper tire pressure for track conditions       □ Steering linkage tight         □ Rims in good condition       □ Shocks / struts in good condition         □ Hub caps / wheel centers removed       □ Flexible brake lines in good condition		
□ Sufficient brake pad linings (at least 50% material remaining)       □ Electrical wiring harness & relays secure         □ Brake rotors (front and rear) free of cracks and defects       □ Gas and oil lines secure; no leaks         □ Brake pedal firm       □ Throttle linkage and return operational         □ TWO THROTTLE RETURN SPRINGS (carbureted cars only)         □ Coolant overflow catch can       Air cleaner and filter assembly secure         □ Street tire tread depth – 2/32 inch minimum       SUSPENSION         □ No side wall cuts       □ Wheel bearings tight / no play         □ Proper tire pressure for track conditions       □ Steering linkage tight         □ Rims in good condition       □ Shocks / struts in good condition         □ Hub caps / wheel centers removed       □ Flexible brake lines in good condition		
□ Brake rotors (front and rear) free of cracks and defects       □ Gas and oil lines secure; no leaks         □ Brake pedal firm       □ Throttle linkage and return operational         □ Brake lights operational       □ TWO THROTTLE RETURN SPRINGS (carbureted cars only)         Coolant overflow catch can         □ Air cleaner and filter assembly secure         □ Street tire tread depth – 2/32 inch minimum       □ SUSPENSION         □ No side wall cuts       □ Wheel bearings tight / no play         □ Proper tire pressure for track conditions       □ Steering linkage tight         □ Rims in good condition       □ Shocks / struts in good condition         □ Hub caps / wheel centers removed       □ Flexible brake lines in good condition		
□ Brake lights operational       □ TWO THROTTLE RETURN SPRINGS (carbureted cars only)         TIRES & WHEELS         □ Street tire tread depth – 2/32 inch minimum         □ Competition tires – good condition & adequate depth       SUSPENSION         □ No side wall cuts       □ Wheel bearings tight / no play         □ Proper tire pressure for track conditions       □ Steering linkage tight         □ Rims in good condition       □ Shocks / struts in good condition         □ Hub caps / wheel centers removed       □ Flexible brake lines in good condition		
TIRES & WHEELS  Street tire tread depth – 2/32 inch minimum  Competition tires – good condition & adequate depth  No side wall cuts  Proper tire pressure for track conditions  Rims in good condition  Hub caps / wheel centers removed  Coolant overflow catch can Air cleaner and filter assembly secure  SUSPENSION  Wheel bearings tight / no play Steering linkage tight Shocks / struts in good condition		
TIRES & WHEELS  Street tire tread depth – 2/32 inch minimum  Competition tires – good condition & adequate depth  No side wall cuts  Proper tire pressure for track conditions  Rims in good condition  Hub caps / wheel centers removed  Air cleaner and filter assembly secure  SUSPENSION  Wheel bearings tight / no play  Steering linkage tight  Shocks / struts in good condition  Flexible brake lines in good condition		
Street tire tread depth – 2/32 inch minimum  Competition tires – good condition & adequate depth  No side wall cuts  Proper tire pressure for track conditions  Rims in good condition  Hub caps / wheel centers removed  Air cleaner and filter assembly secure  SUSPENSION  Wheel bearings tight / no play  Steering linkage tight  Shocks / struts in good condition  Flexible brake lines in good condition		
□ Competition tires – good condition & adequate depth       SUSPENSION         □ No side wall cuts       □ Wheel bearings tight / no play         □ Proper tire pressure for track conditions       □ Steering linkage tight         □ Rims in good condition       □ Shocks / struts in good condition         □ Hub caps / wheel centers removed       □ Flexible brake lines in good condition		
□ No side wall cuts       □ Wheel bearings tight / no play         □ Proper tire pressure for track conditions       □ Steering linkage tight         □ Rims in good condition       □ Shocks / struts in good condition         □ Hub caps / wheel centers removed       □ Flexible brake lines in good condition		
□ Proper tire pressure for track conditions       □ Steering linkage tight         □ Rims in good condition       □ Shocks / struts in good condition         □ Hub caps / wheel centers removed       □ Flexible brake lines in good condition		
☐ Hub caps / wheel centers removed ☐ Flexible brake lines in good condition		
· · · · · · · · · · · · · · · · · ·		
☐ Wheel lug nuts tightened (torqued to spec) ☐ Minimal rear axle endplay		
VEHICLE  Anti-sway bar end-links tight		
Fender to tire clearance through suspension travel  FIRE EXTINGUISHER MOUNTED WITH METAL BRACKET		
Roll bar required for open cars  DRIVER		
☐ Windshield free of cracks ☐ Helmet: SA2015 rated or later		
☐ Seats secure ☐ Full face helmet or goggles for convertibles		
□ Safety belts secure; webbing in good shape □ Closed toe shoes		
☐ Long sleeve cotton shirt and long pants recommended		
☐ TECH INSPECTION CHECKLIST COMPLETED AND SIGNED		
Items below should be completed at the track before getting in Tech line the day of the event		
☐ Interior of car empty; no loose items ☐ Remove spare tire		
☐ Floor mats removed ☐ No loose items in trunk		
☐ Clean windshield ☐ Gas cap secure		
I have inspected the above vehicle and take full responsibility for its condition at this track event. I agree that the inspection by the tech inspectors is in no way intended certification, representation or guarantee of any kind that said vehicle is fit or safe to drive and that the above technical inspection does not imply any liability on the part inspectors. The undersigned owner and/or driver agrees to pay, indemnify or otherwise hold harmless the Los Angeles Shelby American Automobile Club ("LASAAC") anyone serving in a position of responsibility in this organization from any claims, litigation or liability arising from any person who seeks to hold LASAAC responsible for reason connected with said inspection. I understand that vehicle insurance is my sole responsibility and agree to hold harmless LASAAC and all LASAAC operators and instructors.	t of the and or any	
SIGNED - OWNER/DRIVER DATE		
SIGNED - TECH INSPECTOR DATE		
INSPECTOR REMARKS		
RUN GROUP: [ ] RED – Novice		